

VENTILATOR VOLUME PORTABLE

DISTRIBUTOR: COMBAT MEDICAL SYSTEMS

MANUFACTURER: AUTOMEDX

Distributor Model# 25-110

Manufacturer Model# Simplified Automated Ventilator (SAVe)

Distributor's PHONE: (910) 426-0003 FAX: (910) 426-0009

Manufacturer's PHONE: (301) 916-9508 FAX: (301) 916-7155

Distributor's Website: <http://www.combatmedicalsystems.com/>

Manufacturer's Website: <http://www.AutoMedX.biz>

Item Web Link:

<http://www.automedx.biz/products.php>

AAC 'L' ITEM NSN 6515-01-571-1689

UAs: 268B

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$2,330.00

System Description: This ventilator unit is a set-flow, time-cycled, pressure-limited (38 cmH₂O) device and is designed to be quickly deployed in a pre-hospital environment. It is lightweight, rugged, hands-free, and contains a number of alarms and safety features. This device addresses the dangers associated with bagging patients and frees up a responder to address other injuries and/or to perform compressions. The ventilator is completely self-contained, and does not require a compressed gas source. It can be used with a mask or a secure airway. Low pressure supplemental oxygen can be used if desired. The SAVe will deliver ambient air for up to 5.5 hours on a single battery charge and may be recharged from a standard AC outlet. The SAVe can run and recharge simultaneously. The SAVe should be recharged after each use and a completely depleted battery will take 6 hours to fully recharge. The SAVe delivers an AHA compliant tidal volume (600 mL) at a fixed respiratory rate (10 bpm) which removes any guesswork and reduces operator error. It is ideally suited for situations where the use of pressurized gas is inadvisable or unavailable, or where size, weight, ease of use, and portability are considerations.

Features:

- Easy to Use
 - Single knob operation
 - Low training requirements
 - Hands free
- Versatile
 - Allows spontaneous breathing
 - Accepts up to 6 Lpm of supplemental O₂ (FiO₂ as high as 62%)
 - Powered by rechargeable lead-acid battery or electrical outlet
- Safe
 - Single tidal volume and respiratory rate reduces chance of operator error
 - Tidal Volume = 600 mL
 - Breaths / minute = 10
 - EtCO₂ detector
 - No compressed gas required
- Intelligent Design
 - Detects blockage and disconnects
 - Fail-safe mechanisms and suppressible alarms
 - Up to 5.5 hours per charge



VENTILATOR VOLUME PORTABLE W PROVISIONING
PART # 70000K
NSN 6515015711689




VENTILATOR VOLUME PORTABLE
PART # M50000



**CIRCUIT, VENTILATOR
PART # M40003
NSN 6515015800768**



SHOWING HOSE CONNECTION



VENTILATOR VOLUME PORTABLE W HOSE AND MASK
PART # 70000
NSN 6515015607288



IN OPERATION



VENTILATOR VOLUME PORTABLE IN OPEN CASE
PART # 70000K
NSN 6515015711689



VOLUME VENTILATOR PORTABLE ONE HALF OF CASE CLOSE UP
PART # 70000K
NSN 6515015711689



VOLUME VENTILATOR PORTABLE SECOND HALF OF CASE CLOSE UP
PART # 70000K
NSN 6515015711689



CASE VENTILLATOR SOFT BLACK
PART # F20022
NSN 6515015887384



CASE VENTILLATOR SOFT BLACK
PART # F20022
NSN 6515015887384

VENTILATOR VOLUME PORTABLE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	2.5
	Width (Inches)	6.25
	Length (Inches)	6.5
	Cube (Cubic Feet)	0.0588
	Weight	3.1 lbs
Ship Dimensions	Height (Inches)	6
	Width (Inches)	9.2
	Length (Inches)	14
	Cube (Cubic Feet)	0.4472
	Weight	6.5 lbs
Storage Temp		14 to 140 °F
Operating Temp		32 to 122 °F
Storage Humidity		
Operating Humidity		15 to 95%
Amps		
Watts		
Power Requirements	100/240 VAC, 50/60Hz Rechargeable lead-acid battery	
Notes		

**VENTILATOR VOLUME PORTABLE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN AutoMedX	DIST PN Combat Medical Systems	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015711689		Ventilator Volume Portable	70000K		1	EA	\$2,330.00	\$2,330.00	N/A
	Awaiting NSN	SAVe Unit w/o Kitting	M50000		1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015800768		Circuit, Ventilator	M40003	25-150	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015802923		Strap, Head ResQStrap	E10492	25-170	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015803498		Mask, Patient	E10490	25-165	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015803522		Power Cord/Charger	E10478	25-145	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015803532		Tubing, O2 Smooth Bore 7ft	E10365	021115	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
65150158080972		Filter, Debris	M40037	25-155	1	5/PG	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015885834		Holder, Tube Adult Endotracheal	E10498	25-185	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015887384		Case Ventilator Soft Black	F20022	25-195	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015887389		Detector Carbon Dioxide (EtCO2)	E10477	25-180	2	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
NSN Not Required		Literature, Operator	M40032		1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A

**VENTILATOR VOLUME PORTABLE
WEB LINKS**

[Click Below for FAQs](#)

<<http://www.automedx.biz/faq.php>>